



# NON FERROUS METAL MESH

## Aluminum Wire Mesh

### Aluminum Wire Mesh Specification

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCALM40120-PL	4	0.120	0.130	PLAIN
WCALM40105-PL	4	0.105	0.145	PLAIN
WCALM40080-PL	4	0.080	0.170	PLAIN
WCALM40063-PL	4	0.063	0.187	PLAIN
WCALM40047-PL	4	0.047	0.203	PLAIN
WCALM40035-PL	4	0.035	0.215	PLAIN
WCALM50063-PL	5	0.063	0.137	PLAIN
WCALM50047-PL	5	0.047	0.153	PLAIN
WCALM50041-PL	5	0.041	0.159	PLAIN
WCALM50035-PL	5	0.035	0.165	PLAIN
WCALM60063-PL	6	0.063	0.104	PLAIN
WCALM60047-PL	6	0.047	0.120	PLAIN
WCALM60041-PL	6	0.041	0.126	PLAIN
WCALM60035-PL	6	0.035	0.132	PLAIN
WCALM60028-PL	6	0.028	0.139	PLAIN
WCALM80063-PL	8	0.063	0.062	PLAIN
WCALM80054-PL	8	0.054	0.071	PLAIN
WCALM80047-PL	8	0.047	0.078	PLAIN
WCALM80041-PL	8	0.041	0.084	PLAIN
WCALM80035-PL	8	0.035	0.090	PLAIN
WCALM80032-PL	8	0.032	0.093	PLAIN
WCALM80028-PL	8	0.028	0.097	PLAIN
WCALM80017-PL	8	0.017	0.108	PLAIN
WCALM100041-PL	10	0.041	0.059	PLAIN
WCALM100035-PL	10	0.035	0.065	PLAIN
WCALM100025-PL	10	0.025	0.075	PLAIN
WCALM100020-PL	10	0.020	0.080	PLAIN
WCALM120041-PL	12	0.041	0.042	PLAIN
WCALM120035-PL	12	0.035	0.048	PLAIN
WCALM120032-PL	12	0.032	0.051	PLAIN
WCALM120028-PL	12	0.028	0.055	PLAIN
WCALM120025-PL	12	0.025	0.058	PLAIN
WCALM120023-PL	12	0.023	0.060	PLAIN
WCALM120020-PL	12	0.020	0.063	PLAIN
WCALM120018-PL	12	0.018	0.065	PLAIN
WCALM140025-PL	14	0.025	0.046	PLAIN
WCALM140023-PL	14	0.023	0.048	PLAIN
WCALM140020-PL	14	0.020	0.051	PLAIN



# NON FERROUS METAL MESH

## Aluminum Wire Mesh Specification *(continued)*

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCALM140018-PL	14	0.018	0.053	PLAIN
WCALM140017-PL	14	0.017	0.054	PLAIN
WCALM140011-PL	14	0.011	0.060	PLAIN
WCALM160028-PL	16	0.028	0.0350	PLAIN
WCALM160025-PL	16	0.025	0.0380	PLAIN
WCALM160023-PL	16	0.023	0.0400	PLAIN
WCALM160020-PL	16	0.020	0.043	PLAIN
WCALM160018-PL	16	0.018	0.045	PLAIN
WCALM160017-PL	16	0.017	0.046	PLAIN
WCALM160016-PL	16	0.016	0.047	PLAIN
WCALM160014-PL	16	0.014	0.049	PLAIN
WCALM160011-PL	16	0.011	0.052	PLAIN
WCALM18×160011-PL	18 × 16	0.011	0.045 × 0.053	PLAIN
WCALM180023-PL	18	0.023	0.0330	PLAIN
WCALM180020-PL	18	0.020	0.0360	PLAIN
WCALM180017-PL	18	0.017	0.0390	PLAIN
WCALM180015-PL	18	0.015	0.041	PLAIN
WCALM180014-PL	18	0.014	0.042	PLAIN
WCALM180011-PL	18	0.011	0.045	PLAIN
WCALM180009-PL	18	0.009	0.047	PLAIN
WCALM200023-PL	20	0.023	0.0270	PLAIN
WCALM200020-PL	20	0.020	0.030	PLAIN
WCALM200018-PL	20	0.018	0.0320	PLAIN
WCALM200016-PL	20	0.016	0.0340	PLAIN
WCALM200014-PL	20	0.014	0.0360	PLAIN
WCALM200011-PL	20	0.011	0.0390	PLAIN
WCALM200009-PL	20	0.009	0.041	PLAIN
WCALM240014-PL	24	0.014	0.028	PLAIN
WCALM2400075-PL	24	0.0075	0.034	PLAIN
WCALM280010-PL	28	0.010	0.026	PLAIN
WCALM300013-PL	30	0.013	0.020	PLAIN
WCALM300012-PL	30	0.012	0.021	PLAIN
WCALM300011-PL	30	0.011	0.022	PLAIN
WCALM300010-PL	30	0.010	0.023	PLAIN
WCALM3000095-PL	30	0.0095	0.024	PLAIN
WCALM320010-PL	32	0.010	0.021	PLAIN
WCALM350010-PL	35	0.010	0.019	PLAIN
WCALM400010-PL	40	0.010	0.015	PLAIN
WCALM4000095-PL	40	0.0095	0.016	PLAIN
WCALM400009-PL	40	0.009	0.016	PLAIN

# NON FERROUS METAL MESH

## Aluminum Wire Mesh Specification *(continued)*

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCALM4000085-PL	40	0.0085	0.017	PLAIN
WCALM500009-PL	50	0.009	0.011	PLAIN
WCALM6000075-PL	60	0.0075	0.009	PLAIN
WCALM8000055-PL	80	0.0055	0.007	PLAIN
WCALM1200004-PL	120	0.004	0.0043	PLAIN
WCALM20000021-PL	200	0.0021	0.0029	PLAIN
WCALM200250-IL	2" opening	0.250	2.00	INTERCRIMP/LOCK
WCALM200192-IL	2" opening	0.192	2.00	INTERCRIMP/LOCK
WCALM200148-IL	2" opening	0.148	2.00	INTERCRIMP/LOCK
WCALM200135-IL	2" opening	0.135	2.00	INTERCRIMP/LOCK
WCALM1.500250-IL	1.5" opening	0.250	1.50	INTERCRIMP/LOCK
WCALM1.500192-IL	1.5" opening	0.192	1.50	INTERCRIMP/LOCK
WCALM1.500135-IL	1.5" opening	0.135	1.50	INTERCRIMP/LOCK
WCALM1.500120-IL	1.5" opening	0.120	1.50	INTERCRIMP/LOCK
WCALM10192-IL	1	0.192	0.808	INTERCRIMP/LOCK
WCALM10135-IL	1	0.135	0.865	INTERCRIMP/LOCK
WCALM10120-IL	1	0.120	0.880	INTERCRIMP/LOCK
WCALM3/40120-IL	3/4	0.120	0.630	INTERCRIMP/LOCK
WCALM3/40105-IL	3/4	0.105	0.645	INTERCRIMP/LOCK
WCALM3/40080-IL	3/4	0.080	0.670	INTERCRIMP/LOCK
WCALM20135-IL	2	0.135	0.365	INTERCRIMP/LOCK
WCALM20120-IL	2	0.120	0.380	INTERCRIMP/LOCK
WCALM20105-IL	2	0.105	0.395	INTERCRIMP/LOCK
WCALM20080-IL	2	0.080	0.420	INTERCRIMP/LOCK
WCALM20063-IL	2	0.063	0.437	INTERCRIMP/LOCK
WCALM20047-IL	2	0.047	0.453	INTERCRIMP/LOCK
WCALM40120-IL	4	0.120	0.130	INTERCRIMP/LOCK
WCALM40105-IL	4	0.105	0.145	INTERCRIMP/LOCK
WCALM40080-IL	4	0.080	0.170	INTERCRIMP/LOCK
WCALM40063-IL	4	0.063	0.187	INTERCRIMP/LOCK
WCALM40047-IL	4	0.047	0.203	INTERCRIMP/LOCK
WCALM40035-IL	4	0.035	0.215	INTERCRIMP/LOCK
WCALM40028-IL	4	0.028	0.222	INTERCRIMP/LOCK



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.

Tel: +86-15833836064

Skype: wiremesh@live.com

E-mail: sales@walcoom.com

Web: <http://www.walcoom.com>