



WALCOOM

Walcoom Corporation



CHAINMAIL GLOVES

www.walcoom.com
E-mail: sales@walcoom.com

Wacoom expertises in wire mesh foreign trade over 20 years. We now are committed to providing high quality products and service for purchasers. In order to let purchasers know more about our product, we set up the PDF for reference.

Chainmail gloves (chain-mail gloves) is made from different material, the materials we use include stainless steel, carbon steel, bright aluminum, anodized aluminum, titanium, brass, copper, bronze, etc. These gloves offer protection against cuts and stabs in those works where a knife may hurt users' hand and forearm. Chainmail gloves often used in slaughterhouse, meat and shellfish processing industries, large scale catering establishments, kitchen and so on.

Features

- Cuts & stabs-resistant.
- Corrosion-resistant.
- Penetration-resistant.
- Good breathable and non-slip.
- Light weight yet high-strength.
- Good flexibility.
- Easy to clean and durable.

Application

- Slaughterhouses.
- Meat, fish, shell fish processing industries.
- Large scale catering establishments.
- Manual operations to process meat, game and poultry.
- Vegetable cutting.
- Fruits cutting.


Application

- **Material:** stainless steel.
- **Surface treatment:** zinc coating, black coating, copper plating.
- **Fastening strap material:** polypropylene, nylon, stainless steel, etc.
- **Fastening strap color:** white, red, green, blue, brown, orange, etc.
- **Type:** three-finger gloves, five-finger gloves.
- **Standard:** ISO 13999.

CHAINMAIL GLOVES

Wrist protection

- **Short-cuff gloves:** Short-cuff gloves provide protection from finger tips to the wrist at least 75 mm length.
- **Long-cuff gloves:** Long-cuff gloves provide protection from fingertips to wrist up to forearm. The proximal end of protection not more than 75 mm from the upper arm surface when the elbow is flexed at 90°.



Key

1: Level of the wrist.


A: Length of the protection afforded by a short cuff.

B: Length of the protection afforded by a long cuff.

C: Length of the clearance between the top of a long cuff.

Construction

- **Chainmail gloves:** Chainmail gloves shall be made from rings with an internal diameter no greater than 3.2 mm. Chainmail sheet shall have four rings passing through each ring.
- **Dimension of interstice:** Chainmail gloves rings shall be 6 mm.
- **Straps:** Chainmail gloves shall have adjustable wrist straps at least 18 mm.
- **Mass:** Chainmail gloves shall be constructed of material with a mass area of least 4 kg/m².



Size

Chainmail gloves size chart for Overview and Category.

CHAINMAIL GLOVES

Wrist straps

Chainmail gloves has adjustable wrist straps at least 18 mm. Wrist straps aim to stop gloves falling off.



Lateral view of fastening buttons



Front view of fastening buttons



Fastened strap of chainmail gloves

Package

Each pair of gloves are in a transparent plastic bag.



Bibliography

ISO 13999-1

CHAINMAIL GLOVES

Walcoom Corporation



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.
Tel: +86-15030811699
Skype: wiremesh@live.com
E-mail: sales@walcoom.com
Web: <http://www.walcoom.com>

