



NON FERROUS METAL MESH

Copper Wire Mesh

Copper Wire Mesh Specification

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCCUM20135-PL	2	0.135	0.365	PLAIN
WCCUM20120-PL	2	0.120	0.380	PLAIN
WCCUM20105-PL	2	0.105	0.395	PLAIN
WCCUM20092-PL	2	0.092	0.408	PLAIN
WCCUM20080-PL	2	0.080	0.420	PLAIN
WCCUM20063-PL	2	0.063	0.437	PLAIN
WCCUM20047-PL	2	0.047	0.453	PLAIN
WCCUM30105-PL	3	0.105	0.228	PLAIN
WCCUM30092-PL	3	0.092	0.241	PLAIN
WCCUM30080-PL	3	0.080	0.253	PLAIN
WCCUM30063-PL	3	0.063	0.270	PLAIN
WCCUM30047-PL	3	0.047	0.286	PLAIN
WCCUM40105-PL	4	0.105	0.145	PLAIN
WCCUM40080-PL	4	0.080	0.170	PLAIN
WCCUM40063-PL	4	0.063	0.187	PLAIN
WCCUM40047-PL	4	0.047	0.203	PLAIN
WCCUM40035-PL	4	0.035	0.215	PLAIN
WCCUM50063-PL	5	0.063	0.137	PLAIN
WCCUM50047-PL	5	0.047	0.153	PLAIN
WCCUM50035-PL	5	0.035	0.165	PLAIN
WCCUM60063-PL	6	0.063	0.104	PLAIN
WCCUM60047-PL	6	0.047	0.120	PLAIN
WCCUM60041-PL	6	0.041	0.126	PLAIN
WCCUM60035-PL	6	0.035	0.132	PLAIN
WCCUM60032-PL	6	0.032	0.135	PLAIN
WCCUM60028-PL	6	0.028	0.139	PLAIN
WCCUM60020-PL	6	0.020	0.147	PLAIN
WCCUM70041-PL	7	0.041	0.102	PLAIN
WCCUM80047-PL	8	0.047	0.078	PLAIN
WCCUM80041-PL	8	0.041	0.084	PLAIN
WCCUM80032-PL	8	0.032	0.093	PLAIN
WCCUM80028-PL	8	0.028	0.097	PLAIN
WCCUM80025-PL	8	0.025	0.100	PLAIN
WCCUM80017-PL	8	0.017	0.108	PLAIN
WCCUM100035-PL	10	0.035	0.065	PLAIN
WCCUM100032-PL	10	0.032	0.068	PLAIN
WCCUM100025-PL	10	0.025	0.075	PLAIN
WCCUM100020-PL	10	0.020	0.080	PLAIN



NON FERROUS METAL MESH

Copper Wire Mesh Specification *(continued)*

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCCUM100018-PL	10	0.018	0.082	PLAIN
WCCUM100017-PL	10	0.017	0.083	PLAIN
WCCUM120032-PL	12	0.032	0.0513	PLAIN
WCCUM120028-PL	12	0.028	0.0553	PLAIN
WCCUM120023-PL	12	0.023	0.0603	PLAIN
WCCUM120020-PL	12	0.020	0.0633	PLAIN
WCCUM120018-PL	12	0.018	0.0653	PLAIN
WCCUM140025-PL	14	0.025	0.0464	PLAIN
WCCUM140023-PL	14	0.023	0.0484	PLAIN
WCCUM140020-PL	14	0.020	0.0514	PLAIN
WCCUM140017-PL	14	0.017	0.0544	PLAIN
WCCUM140010-PL	14	0.010	0.0619	PLAIN
WCCUM160028-PL	16	0.028	0.0345	PLAIN
WCCUM160025-PL	16	0.025	0.0375	PLAIN
WCCUM160023-PL	16	0.023	0.0395	PLAIN
WCCUM160020-PL	16	0.020	0.0425	PLAIN
WCCUM160018-PL	16	0.018	0.0445	PLAIN
WCCUM160016-PL	16	0.016	0.0465	PLAIN
WCCUM160015-PL	16	0.015	0.0475	PLAIN
WCCUM160013-PL	16	0.013	0.0495	PLAIN
WCCUM160011-PL	16	0.011	0.0515	PLAIN
WCCUM180023-PL	18	0.023	0.0326	PLAIN
WCCUM180020-PL	18	0.020	0.0356	PLAIN
WCCUM180018-PL	18	0.018	0.0376	PLAIN
WCCUM180017-PL	18	0.017	0.0386	PLAIN
WCCUM180015-PL	18	0.015	0.0406	PLAIN
WCCUM180011-PL	18	0.011	0.0446	PLAIN
WCCUM180010-PL	18	0.010	0.0456	PLAIN
WCCUM200020-PL	20	0.020	0.0300	PLAIN
WCCUM200018-PL	20	0.018	0.0320	PLAIN
WCCUM200016-PL	20	0.016	0.0340	PLAIN
WCCUM200014-PL	20	0.014	0.0360	PLAIN
WCCUM200013-PL	20	0.013	0.0370	PLAIN
WCCUM200010-PL	20	0.010	0.0400	PLAIN
WCCUM220015-PL	22	0.015	0.0305	PLAIN
WCCUM240018-PL	24	0.018	0.0237	PLAIN
WCCUM240014-PL	24	0.014	0.0277	PLAIN
WCCUM2400075-PL	24	0.0075	0.0342	PLAIN
WCCUM300013-PL	30	0.013	0.0203	PLAIN
WCCUM300012-PL	30	0.012	0.0213	PLAIN



NON FERROUS METAL MESH

Copper Wire Mesh Specification *(continued)*

Item Number	Mesh	Wire Diameter (inch)	Width of Opening (inch)	Weave Type
WCCUM300011-PL	30	0.011	0.0223	PLAIN
WCCUM300010-PL	30	0.010	0.0233	PLAIN
WCCUM350010-PL	35	0.010	0.0186	PLAIN
WCCUM400010-PL	40	0.010	0.0150	PLAIN
WCCUM4000085-PL	40	0.0085	0.0165	PLAIN
WCCUM4000075-PL	40	0.0075	0.0175	PLAIN
WCCUM500009-PL	50	0.009	0.011	PLAIN
WCCUM500008-PL	50	0.008	0.012	PLAIN
WCCUM5000075-PL	50	0.0075	0.013	PLAIN
WCCUM6000075-PL	60	0.0075	0.0092	PLAIN
WCCUM6000065-PL	60	0.0065	0.0102	PLAIN
WCCUM7000065-PL	70	0.0065	0.0078	PLAIN
WCCUM8000055-PL	80	0.0055	0.0070	PLAIN
WCCUM800005-PL	80	0.005	0.0075	PLAIN
WCCUM900005-PL	90	0.005	0.0061	PLAIN
WCCUM10000012-PL	100	0.0012	0.0088	PLAIN
WCCUM10000022-PL	100	0.0022	0.007	PLAIN
WCCUM10000045-PL	100	0.0045	0.0055	PLAIN
WCCUM10000040-PL	100	0.0040	0.0060	PLAIN
WCCUM10000035-PL	100	0.0035	0.0065	PLAIN
WCCUM14500022-PL	145	0.0022	0.004	PLAIN
WCCUM15000026-PL	150	0.0026	0.0074	PLAIN
WCCUM20000021-PL	200	0.0021	0.0029	PLAIN
WCCUM10177-IL	1	0.177	0.823	INTERCRIMP/LOCK
WCCUM10135-IL	1	0.135	0.865	INTERCRIMP/LOCK
WCCUM10120-IL	1	0.120	0.880	INTERCRIMP/LOCK
WCCUM10105-IL	1	0.105	0.895	INTERCRIMP/LOCK
WCCUM10092-IL	1	0.092	0.908	INTERCRIMP/LOCK
WCCUM10080-IL	1	0.080	0.920	INTERCRIMP/LOCK
WCCUM3/40105-IL	3/4	0.105	0.645	INTERCRIMP/LOCK
WCCUM3/40092-IL	3/4	0.092	0.658	INTERCRIMP/LOCK
WCCUM3/40080-IL	3/4	0.080	0.670	INTERCRIMP/LOCK
WCCUM3/40063-IL	3/4	0.063	0.687	INTERCRIMP/LOCK
WCCUM20063-IL	2	0.063	0.437	INTERCRIMP/LOCK



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.

Tel: +86-15833836064

Skype: wiremesh@live.com

E-mail: sales@walcoom.com

Web: <http://www.walcoom.com>