

**Walcoom Corporation** 



www.walcoom.com E-mail: sales@walcoom.com

#### "The best choice for horse fencing"

Walcoom Corporation has been offering the strong and durable horse fencing products for 20 years. We are specialized in horse fence producing and exporting. Advanced production equipment, skilled workers, professional sale representatives and considerate after sale service contribute our high quality products and long term cooperation with our customers.



Horse fence, made of high quality steel, has high strength and safety. And there are various styles for choice, including safe horse fence, pipe horse fence, welded wire horse fence and horse gate fence. With galvanized surface, horse fence has good effect of corrosion and rust resistance. Featured by easy installation and long service life, it's widely used for farm fencing, animal fencing, camping fencing, fairs fencing, stall fencing, paddock fencing and equine arena fencing.

#### Feature of horse fence

- High strength and safety.
- Corrosion and rust resistance.
- Various types and sizes for choice.
- Easy to install and remove.
- Durable and long service life.

## **Application of horse fence**

- Farm fencing.
- Stable fencing.
- Shed fencing.
- Animal fencing.
- Camping fencing.
- Fairs fencing.
- Stall fencing.
- House fencing.
- Factory fencing.
- Paddock fencing.
- Equine arena fencing.



## **Pipe horse fence**

Pipe horse fences are made of hot dipped galvanized steel pipe of round, oval or square shape. They have no shape edges, so they are safe for people and animals. They have various styles for choice and they are popular for the easy installation. With high strength and long service life, pipe horse fences are widely used for farm fencing, animal fencing, fairs fencing, camping fencing and equine arena fencing.




## Advantage of travel corrals


- High strength and safety.
- No sharp spearhead.
- Simple and fast to install.
- Corrosion and rust resistant.
- Anti acid and alkali.
- Durable and long service life.

## Specification of pipe horse fence

- Fence panel specification: see table 1.
- Fence leg shape: straight, triangle, square, round.



#### • Six connecting methods



#### Accessories specification

- Pin size: 14 mm diameter and 170 mm long.
- **Double lug size:** 40 mm wide × 120 mm high with two 16 × 25 mm holes.
- Single lug size: 40 mm wide × 60 mm high with two 16 × 25 mm holes.
- Package: pins and lugs packaged in plastic bags then in carton boxes.
- Maintenance: 10–15 years.
- Package: packaged with plastic film and carton paper then into pallet or bulk.

Table 1:	Table 1: Common Specifications of Pipe Horse Fence Panel								
Pipe Style	Round Pipe	Oval Pipe	Square Pipe						
Material	ho	hot dipped galvanized steel pipe							
Finishing (zinc coating)		more than 15 microns							
Height × Length	1.6 × 2.1/2.2/2.5 m,	1.6 × 2.1/2.2/2.5 m, 1.7 × 2.1/2.2/2.3 m, 1.8 × 2.1/2.2/2.4/2.5/3.4 m							
Vertical Pipe	32 × 1.6 mm 42 × 1.6 mm	50 × 50 RHS × 1.6 mm 40 × 40 RHS × 1.6 mm	50 × 50 RHS × 1.6 mm 40 × 40 RHS × 1.6 mm						
Horizontal Pipe	-	30 × 60 × 1.6 mm 40 × 80 × 1.6 mm 40 × 120 × 1.6 mm	-						
Horizontal Rail	3-7								
Welding	pipes and post brackets are fully welded, each weld point is protected by epoxy paint								
Packing	in steel pallet or in bulk								



#### Safe horse fence

Safe horse fence, made of hot dipped galvanized steel pipe, is also called horse feed fence. There are self-assembly and welded types for choice, and they both have high strength and perfect flexibility. It is designed to provide horses with enough space to eat hay without crowding and damaging. With the features of corrosion resistance, easy installation and long service life, safe horse fence is widely used at farm and ranch to separate and feed horses.

## Advantage of safe horse fence

- · High strength and flexibility.
- No sharp edge to damage horse.
- Corrosion and rust resistance.
- Easy to install and remove.
- Durable and long service life.

#### Specification of safe horse fence

• Material: hot dipped galvanized steel pipe.

• Common pipe shape: round, oval.

Panel weight: 19 kg, 27 kg, 35 kg, 43 kg.

• Round post size: 102 × 3 mm.

Post height: 2.75 m (0.5 m in ground).

• Central rail: 3-5.

Self-assembly type

• Filler pipe size: 48 × 3 mm.

• Filler spacing: 30–35 mm.

• Support pipe size: 60 × 3 mm.

• **Height:** 1.6, 2.2 m.

• **Length:** 2, 3, 4,5 m.

Welded type

• Filler pipe size: 42 × 4 mm.

• Filler spacing: 6 mm.

• Feeding spacing: 300 mm.

• Support pipe size: 48 × 3 mm.

• Height: 1.5 m.

• Length: 1.9, 2.7 m.

• Accessories: screws, nuts, clamps.

 Packaging: packaged in water-proof plastic bags then into carton or bulks.

#### **Welded wire horse fence**

Welded wire horse fence, also called welded wire corral fence, is made of 4 or 6 gauge steel wire and 16 gauge steel tubing. The 2" × 4" mesh space prevents foals from squeezing their heads and stepping out of the panels. With heavy zinc coated surface, welded wire horse fence is corrosion and rust resistant. And featured by the high strength, perfect stability, easy installation and long service life, it's widely used for livestock protection. Besides, it's a good choice for farmland fencing, stall fencing, paddock fencing and arena fencing.



#### Advantage of welded wire horse fence

- High strength and sturdy welded structure.
- Rust and corrosion resistant.
- Safety guarantee and easy installation.
- Durable and long service life.

## Specification of welded wire horse fence

Material: steel wire, steel tubing.
Wire diameter: 0.203", 0.238".

Tubing thickness: 0.065".
Tubing diameter: 1-5/8".
Mesh size: 2" × 4" opening.

• Accessories: lockable sliding latch, welded hinges.

• Package: packaged in water-proof plastic bags.

Table 2: Specifications of Welded Wire Horse Fence							
ltem	Size (W × H)	Wire Diameter	Weight (lb)	Spacing			
WHF-01	12' × 4'		60	2" × 4"			
WHF-02	12' × 5'		75	2" × 4"			
WHF-03	16' × 4'	0.000	80	2" × 4"			
WHF-04	16' × 5'	0.238"	100	2" × 4"			
WHF-05	20' × 4'		100	2" × 4"			
WHF-06	20' × 5'		125	2" × 4"			
WHF-07	12' × 4'		44	2" × 4"			
WHF-08	12' × 5'		55	2" × 4"			
WHF-09	16' × 4'		60	2" × 4"			
WHF-10	16' × 5'	0.203"	75	2" × 4"			
WHF-11	16' × 6'		88	2" × 4"			
WHF-12	20' × 6'		110	2" × 4"			
WHF-13	24' × 68"		125	2" × 4"			

#### **Horse fence gate**

Horse fence gate, made of high quality low carbon steel pipe, includes all welded panel gate, bottom welded horse panel gate and portable corral panel gate. With electric or hot dipped galvanized surface, horse fence gate has perfect resistance to rust and ensures a long service life. Featured by high strength and easy installation, it is widely assembled with various horse fences for arenas fencing, paddocks fencing and stalls fencing.



## Advantage of horse fence gate

- · High strength and durability.
- Corrosion and UV resistance.
- Easy to install.
- Long service life.

#### Specification of horse fence gate

• Material: low carbon steel pipe.

• Surface treatment: galvanized, PVC coated.


Pipe thickness: 0.065".

Table 3: Specifications of All Welded Panel Gate									
Item	Pipe Diameter	Panel Height	Panel Width	Gate Width	Gate Height	Wire Mesh Diameter	Wire Mesh Opening	Wire Mesh Height	Rail Quantity
AWPG-01	1-5/8"	6'	12'	6'	7.5'	5"	2" × 4"	6'	5
AWPG-02	1-5/8"	6'	12'	6'	7.5'	5"	2" × 4"	6'	6
AWPG-03	1-5/8"	6'	16'	6'	7.5'	5"	2" × 4"	6'	5
AWPG-04	1-5/8"	6'	16'	6'	7.5'	5"	2" × 4"	6'	6
AWPG-05	1-5/8"	6'	24'	6'	7.5'	5"	2" × 4"	6'	4
AWPG-06	1-5/8"	6'	24'	6'	7.5'	5"	2" × 4"	3'	5
AWPG-07	1-5/8"	6'	24'	6'	7.5'	5"	2" × 4"	3'	6

Table 4: Specifications of Bottom Welded Horse Panel Gate								
Item	Pipe Diameter	Panel Height	Panel Width	Gate Width	Wire Mesh Diameter	Wire Mesh Opening	Wire Mesh Height	Rail Quantity
BWPG-01	1-5/8"	5'	12'	6'	5"	2" × 4"	3'	4
BWPG-02	1-7/8"	5'	12'	6'	5"	2" × 4"	3'	4
BWPG-03	1-5/8"	5'	16'	6'	5"	2" × 4"	3'	4
BWPG-04	1-7/8"	6'	16'	6'	5"	2" × 4"	3'	4
BWPG-05	1-5/8"	5'	24'	6'	5"	2" × 4"	3'	4
BWPG-06	1-7/8"	5'	24'	6'	5"	2" × 4"	3'	4

Table 5: Specification of Portable Corral Panel Gate								
ltem	Pipe Diameter	Panel Height	Panel Width	Gate Height	Gate Width	Rail Quantity		
PCPG-01	1-5/8"	5'	12'	7.5'	6'	3		
PCPG-02	1-5/8"	5'	12'	7.5'	6'	4		
PCPG-03	1-5/8"	5'	12'	7.5'	6'	5		
PCPG-04	1-5/8"	6'	12'	7.5'	6'	6		
PCPG-05	1-7/8"	5'	12'	7.5'	6'	3		
PCPG-06	1-7/8"	5'	12'	7.5'	6'	5		
PCPG-07	1-7/8"	5'	12'	7.5'	6'	4		
PCPG-08	1-7/8"	6'	12'	7.5'	6'	6		
PCPG-09	1-5/8"	5'	16'	7.5'	6'	3		
PCPG-10	1-5/8"	5'	24'	7.5'	6'	3		
PCPG-11	1-5/8"	5'	16'	7.5'	6'	4		
PCPG-12	1-5/8"	5'	24'	7.5'	6'	4		
PCPG-13	1-5/8"	5'	16'	7.5'	6'	5		
PCPG-14	1-5/8"	5'	24'	7.5'	6'	5		
PCPG-15	1-5/8"	6'	24'	7.5'	6'	6		
PCPG-16	1-7/8"	5'	16'	7.5'	6'	3		
HPGP-17	1-7/8"	5'	24'	7.5'	6'	3		
HPGP-18	1-7/8"	5'	16'	7.5'	6'	4		
HPGP-19	1-7/8"	5'	24'	7.5'	6'	4		
HPGP-20	1-7/8"	5'	16'	7.5'	6'	5		
HPGP-21	1-7/8"	5'	24'	7.5'	6'	5		
HPGP-22	1-7/8"	6'	24'	7.5'	6'	6		

#### **Hot products**




#### Feature:


- Bent top corners are much safer for horses and other livestock animals.
- Reinforced loop leg to prevent the panel from sinking into mud and avoid panels being wedged to each other.
- I-shaped vertical support brace in the middle to take pressure.
- Quick pin-latch connections make the panel easy to install ans uninstall.
- Available sizes can be 1-3/4" round tubular panel with length from 6' to 20'; 2" round tubular panel with length from 4' to 16'; 1-1/2" square tubular panel with length from 10' to 20'.

#### Feature:

- Gradually closer rail spacing from top rail to the bottom.
- Usable on uneven ground.
- Welded J-shaped hinges makes it easy to build a pen, runway or arenas.
- Flush bottom that prevent small animals running out of the fence.
- One or two vertical tubular bracing for reinforce the panel.
- Ideal for enclosing small animals such as sheep and calves.
- Constructed of 1" high tensile steel tubing, and available in length from 4' to 8', in height from 36" to 74".




WHF-02



WHF-03

#### Feature:

- Right-angle top corner with sealed ends.
- Unique J-leg design offers a small contact surface with ground to prevent unwanted panel movement.
- I-shaped or round tubing vertical brace for maximum strength and durability.
- Usable on uneven ground.
- Color painted or galvanized as your request.
- Brace number: different according to panel length.
- Available in 5' and 6' tall, 10' to 16' long; constructed of 1-5/8" or 2" quality steel tubing.




#### Feature:


- Economic pipe fence panels with four, five, six horizontal bars.
- Available with straight legs or looped legs.
- Round tubular vertical brace to maximum strength of the panel.
- Ideal for enclosing a lot for riding and traveling.
- Galvanized or color painted as your request.
- 1-1/2" or 1-3/4" round high tensile steel tubing with length from 10' to 16'.

#### Feature:

- Straight post design makes the panel easy to dig in the ground to stay put.
- Every pipe is sealed to protect the inside of tube elements from rusting.
- Heavy gauge laser precision cut brace for maximum strength.
- Ideal for roping arenas, delineating perimeter and confining animals.
- Material can be 2" vertical tubing and brace; 2" tubing and 2-1/4" precision cut laser brace, 6' to 16' long and 5' to 6' tall available.







#### Feature:

- Heavy duty panel
- Flush bottom effectively prevent panels sinking to mud.
- Sealed round or square tube for excellent rust resistance.
- Ideal for rodeos and confining various livestock animals.
- 2" tubing and 2-3/8" brace; 2" tubing and 2-1/4" brace. 60" or 72" height and 10' to 16' length available.

#### Our services

- Free consultation service.
- Strict inspections during production and before delivery.
- Choose the most suitable shipping company.
- Provide accessories at low price.
- Technical guidance.
- After sale service.

#### Information supplied by the purchaser

The following information shall be supplied by the purchaser at the time of inquiry or order:

- Type.
- Size.
- Quantity.

#### **Walcoom Corporation**



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.

Tel: +86-15030811699

Skype: wiremesh@live.com E-mail: sales@walcoom.com Web: http://www.walcoom.com

