



WALCOOM

Walcoom Corporation



WIRE MESH STRAINER

www.walcoom.com
E-mail: sales@walcoom.com

Contents

| | | |
|------|-----------------------------|----|
| < 01 | Foreword..... | 1 |
| < 02 | Item image..... | 1 |
| < 03 | Item info..... | 1 |
| < 04 | Item shape and sizes..... | 2 |
| | 4-1. Wire hanger..... | 2 |
| | 4-2. PVC coated hanger..... | 5 |
| | 4-3. Foam hanger..... | 8 |
| | 4-4. Aluminum hanger..... | 10 |

WIRE MESH STRAINER

Wire mesh strainers are versatile product in kitchen. They are rich in type which based on needs. Taking account of the usage and environmental conditions, we'd like to offer you many types of similar kitchen items. These item including wire mesh skimmer, perforated skimmer, spider skimmer, wire mesh strainer, perforated strainer and fry basket.

Our product has fine mesh or rough mesh screen. The handles would be metal, wooden, metal-wooden and metal-plastic. The materials include stainless steel, tin plate steel, aluminum, bamboo and plastic. For more item information, please read the follow article.

Item image



Wire mesh skimmer



Perforated skimmer



Spider skimmer



Wire mesh strainer



Perforated strainer



Fry basket

Item info

I, Wire mesh skimmer

Features

- Fine mesh.
- Coarse mesh.
- Easy-to-hold.
- Anti-rust.
- Longevity.


Application


- Retrieve food when being cooked.
- Filter coffee powder.
- Filter soup stock.
- Lift food.
- Wash vegetable.


WIRE MESH STRAINER


Specification


- **Material:** stainless steel, nickel plated steel, chrome plated steel, brass wire, bamboo.
- **Shape:** round, square, funnel -shape.

|  WMS-01 | Diameter (inch) | Handle length (inch) |
|---|--------------------|-------------------------|
| | 6.5 | 14 |
| | 8 | 14 |
| | 10 | 18 |



|  WMS-02 | Diameter (inch) | Overall length (inch) | Weight (ounce) |
|--|--------------------|--------------------------|-------------------|
| | 9 | 20 | 7 |
| | 10.5 | 21.8 | 8 |
| | 11 | 22 | 9 |


|  WMS-03 | Diameter (inch) | Depth (inch) | Handle length (inch) |
|---|--------------------|-----------------|-------------------------|
| | 3 | 1 | 13.75 |


|  WMS-04 | Diameter (inch) | Handle length (inch) |
|---|--------------------|-------------------------|
| | 2.75 | - |
| | 4 | - |
| | 5 | 12 |
| | 7 | 15 |


|  WMS-05 | Diameter (inch) | Handle length (inch) |
|---|--------------------|-------------------------|
| | 6.5 | 13.5 |
| | 7 | 14 |

WIRE MESH STRAINER




|  WMS-06 | Diameter (inch) | Overall length (inch) |
|---|--------------------|--------------------------|
| | 3.25 | 10 |
| | 4 | 12 |
|  WMS-07 | 4.75 | 14 |
| | 5.25 | 15.5 |
| | 6 | 16.5 |

|  WMS-08 | Diameter (inch) | Handle length (inch) |
|---|--------------------|-------------------------|
| | 3.9 | 9 |
| | 5 | 10 |
| | 6 | 11 |
| | 7 | 12 |
| | 8 | 13 |
| | 10 | 15 |
| | 12 | 17 |

|  WMS-09 | Diameter (inch) | Depth (inch) | Handle length (inch) |
|---|--------------------|-----------------|-------------------------|
| | 3.9 | 3.9 | 15 |

|  WMS-10 | Diameter (inch) | Depth (inch) | Handle length (inch) |
|---|--------------------|-----------------|-------------------------|
| | 1 | 1 | 7.5 |

WIRE MESH STRAINER

|  WMS-11 | Mesh size | Handle length (inch) |
|--|-------------|----------------------|
| | 5 × 5 | 18.5 |
|  WMS-12 | 6.5 × 6.5 | 13.5 |
| | 7 × 7 | 20 |
|  WMS-13 | Mesh size | Handle length (inch) |
| | 5 × 6 | 18 |
| | 6.75 × 6.75 | 20.5 |

II, Perforated skimmer

Features


- Fine mesh.
- Not easy deformed.
- Easy-to-hold.
- Anti-rust.
- Long service life.

Application




- Scoop up food.
- Strain oil.
- blend food.

Specification

- **Material:** stainless steel, aluminum, rubber.

|  PS-01 | Diameter (inch) | Total length (inch) |
|--|-----------------|---------------------|
| | 6 | 24 |
| | 7.5 | 24 |

WIRE MESH STRAINER

|  <p>PS-02</p> | Diameter (inch) | Handle length (inch) |
|--|--------------------|-------------------------|
| | 3.2 | 12.5 |
| | 4 | 11.8 |
| | 4.3 | 13.5 |
| | 5.5 | 11 |
| | 6 | 12.6 |
| | 6.25 | 11 |
|  <p>PS-03</p> | Diameter (inch) | Handle length (inch) |
| | 6 | 12.8 |
|  <p>PS-04</p> | Diameter (inch) | Handle length (inch) |
| | 4 | 14.5 |

III, Spider skimmer

Features

- Spider mesh basket.
- Shallow-mesh screen.
- Easy-to-hold.
- With handle.
- Long service life.




Application



- Cook pasta.
- Deep-fry food.
- Scoop up food.
- Strain food from oil or water.
- Retrieve food when being cooked.

Specification

- **Material:** stainless steel, nickel plated steel.

WIRE MESH STRAINER

|  SS-01 | Diameter (inch) | Total length (inch) |
|--|--------------------|------------------------|
| | 9 | 66 |
|  SS-02 | Diameter (inch) | Total length (inch) |
| | 5.5 | 15 |
|  SS-03 | Diameter (inch) | Total length (inch) |
| | 2.5 ~ 5 | 7.5 ~ 15 |

|  SS-03 | |  SS-03 | |
|--|--------------------|---|-------------------|
| Item | Diameter (inch) | Total length (inch) | Weight (ounce) |
| SS1 | 2.95 | 8.6 | 1.3 |
| SS2 | 4.7 | 15 | 3.8 |
| SS3 | 5 | 15 | 4 |
| SS4 | 5.5 | 16 | 4.8 |
| SS5 | 7 | 18.5 | 8.8 |

WIRE MESH STRAINER

IV, Wire mesh strainer

Features



- Fine mesh.
- Cone-shape.
- With handle and hook.
- Multi-shape.
- Anti-rust.
- Easy-to-hold.



Application

- Sifter flour.
- Separate large piece food from small.
- Filter out impurities.

Specification

- **Material:** stainless steel, tinned steel, wood.

| <div></div> <div>MS-01</div> | | <div></div> <div>MS-02</div> | |
|--|--------------------|---|-------------------------|
| Item | Diameter (inch) | Depth length (inch) | Handle length (inch) |
| WMS1 | 8 | 8.5 | 8.5 |
| WMS2 | 10 | 8.5 | 8.5 |

|  <p>MS-03</p> | Diameter (inch) | Depth (inch) | Handle length (inch) |
|---|--------------------|-----------------|-------------------------|
|  <p>MS-04</p> | Diameter (inch) | Depth (inch) | |
| | 9 | | 66 |
| | 5.5 | 15 | |

WIRE MESH STRAINER

V, Perforated strainer

Features

- Fine mesh.
- Shiny surface.
- Easy-to-hold.
- Proper inner space.
- Long lifespan.

Application


- Filter coarse impurities when making juice.
- Filter herb or leaves out of oil.
- Filter coarse substance out water.
- Washing fruit.
- Suit for sift small piece of food.


Specification



- **Material:** stainless steel, aluminum.

|  <p>PS-01</p> | Item | Diameter (inch) | Depth (inch) |
|--|-----------------|-----------------|----------------------|
| | PS-01 | 5.5 | 4.75 |
|  <p>PS-02</p> | PS-02 | 6.5 | 6 |
| | PS-03 | 7 | 6.25 |
| | PS-04 | 8.2 | 8 |
| | PS-05 | 9.5 | 9 |
|  <p>PS-03</p> | Diameter (inch) | Depth (inch) | Handle length (inch) |
| | 8 | 8 | 9 |
| | 9.75 | 9 | 9.5 |
| | 10 | 10 | 10 |
| | 12 | 12 | 10 |
|  <p>PS-04</p> | 8 | 8 | 10 |
| | 9 | 9 | 11 |
| | 10 | 10 | 12 |
| | 12 | 12 | 13 |

WIRE MESH STRAINER

|  <p>PS-05</p> | Diameter (inch) | Spout diameter (inch) | Height (inch) |
|--|--------------------|--------------------------|------------------|
| | 5 | 0.5 | 4.5 |

|  <p>PS-06</p> | Diameter (inch) | Handle height (inch) |
|--|--------------------|-------------------------|
| | 7.9 | 6.9 |
| | 9.4 | 8.1 |

|  <p>PS-07</p> | |  <p>PS-08</p> | |
|---|--------------------|--|---------------------|
| Item | Diameter (inch) | Depth | Capacity (quart) |
| Perforated Strainer-1 | 8.5 | 4 | 3 |
| Perforated Strainer-2 | 10 | 4.5 | 5.25 |

VI, Fry basket

Features

- Anti-high temperature.
- Mini or large types.
- Coarse mesh basket.
- Multi-shape.
- Easy-to-hold.
- Durable.
- Anti-rust.


Application



- Deep-fry potato chip.
- Deep-fry chicken steaks.
- Food display container.
- Suit for any deep-fry foods.


Specification

- **Material:** stainless steel, chrome-plated steel, nickel-plated steel.


WIRE MESH STRAINER


| FB-01 |  | Diameter (inch) | Height (inch) |
|--------------|---|-----------------|---------------|
| | | 8-1/2 | 5 |
| | | 9-1/2 | 5 |
| | | 11-1/2 | 5-1/8 |



| FB-02 | | | FB-03 | | |
|---|--------------|---------------|---|-----------------------|-------------------|
|  | | |  | | |
| Top width | Bottom width | Basket height | Top diameter | Bottom diameter | Basket height |
| 8-1/4" | 4-3/4" | 4-5/8" | 8-1/8", maximum 16" | 4-1/4", maximum 8" | 5", maximum 18.5" |


|  | Item | Length (inch) | Width (inch) | Height (inch) |
|--|-------------|---------------|--------------|---------------|
| | FB1 | 8-3/4 | 4-1/8 | 4-1/2 |
| | FB2 | 10 | 4 | 5-1/4 |
| | FB3 | 10 | 7-3/4 | 5-1/4 |
| | FB4 | 10-3/4 | 6-1/4 | 7-3/4 |
| | FB5 | 11 | 5-5/8 | 4-1/8 |
| | FB6 | 12-1/8 | 6-1/2 | 5-3/8 |
| | FB7 | 12-1/8 | 6-5/16 | 5-5/16 |
| | FB8 | 12-7/8 | 6 | 5-3/8 |
| | FB9 | 12-7/8 | 6-1/2 | 5-7/16 |
| | FB10 | 13-1/4 | 6 | 6 |
| | FB11 | 13-1/4 | 5-5/8 | 5-7/8 |
| | FB12 | 13-1/4 | 6-1/2 | 6 |
| | FB13 | 13-1/4 | 9-1/4 | 6 |
| | FB14 | 13-1/4 | 17-1/2 | 6 |
| | FB15 | 17 | 8 | 6 |
| | FB16 | 17-1/8 | 8-1/4 | 6 |

WIRE MESH STRAINER

|  FB-05 | Length (inch) | Width (inch) | Height (inch) |
|--|------------------|-----------------|------------------|
| | 9-3/8" | 4-7/8" | 5-3/8" |

|  FB-06 | Diameter (inch) | Height (excluding the solid band) |
|--|--------------------|--------------------------------------|
| | 3.3" – 9" | 3" – 9" |

| | | |
|--|--|---|
|  FB-07 |  FB-08 | |
| | 2.76" diameter × 3.5" height | Top dimensions: vary from 4" × 3-1/4" to 5" × 4 |
| | 3" diameter × 3.9" height | Base dimensions: vary from 3-1/4" × 2-3/4" to 4-1/2" × 3-1/4" |
| - | Height: 2-1/4" – 3-1/4" | |

|  FB-09 | Length (inch) | Width (inch) | Height (inch) |
|--|------------------|-----------------|------------------|
| | 4.6 | 3.9 | 3.1 |
| | 5.6 | 4.5 | 3.1 |
| | 8.5 | 4.1 | 3 |

WIRE MESH STRAINER

Walcoom Corporation



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.
Tel: +86-15030811699
Skype: wiremesh@live.com
E-mail: sales@walcoom.com
Web: <http://www.walcoom.com>

